

enbio.




Enbio^S + Enbio PRO
**World's fastest autoclaves.
Class B.**

Designed 
in Switzerland

Another dimension. Same performance.

Enbio sterilizers are up to 6 times smaller and 3 times lighter than a typical class-B / vacuum autoclave. But when it comes to work efficiency, they keep up the pace.

	Typical autoclave	Enbio PRO	Enbio ^s
 Tool pouches / h	50	50	32
Vacuum / drying	✓	✓	✓

The new definition of sterilization speed.



Time is a relative value. It flows differently under different circumstances. But when you need to have your tools ready, you need them, well, FAST. While other autoclaves might test your patience,



Enbio^S. Speedmaster.

Enbio S is compact to fit even a cramped space. Unbelievably short process times will save your procedure in emergency, or allow sterilization of the instruments as you go, between patients.



Unwrapped
FAST / 134°C
7 min

Wrapped
Class B / 134°C
15 min

Wrapped
Class B / 121°C
30 min



reddot design award
winner



Unit weight
15 kg

Capacity
Max. packages amount (circa) 8
Max. recommended batch weight 0,5 kg
Process chamber volume 2,7 l

Pressure & temperature
Working pressure 2,1 Bar
Max. pressure 2,3 Bar
Max. process temperature 137°C

Dimensions
Width 25 cm
Height 16 cm
Depth 56 cm

Electrical
Power supply 230V/50Hz
Installed power 2250 W
Max. power consumption 15 A

Misc
Ingress protection level IP20
Data archiving USB stick
Water conductivity* < 15 µS/cm

* - demineralized water only

Enbio PRO. Small foot. Big space.

Enbio PRO is an ideal solution as a basic workhorse in a small practice. Superfast sterilization and room to hold most of the instruments, including popular implant cassettes.



Unwrapped
FAST / 134°C
9 min

Wrapped
Class B / 134°C
18 min

Wrapped
Class B / 121°C
30 min

Wrapped / PRION
Class B / 134°C
43 min



Unit weight
20 kg

Capacity
Max. packages amount (circa) 16
Max. recommended batch weight 1,0 kg
Process chamber volume 5,3 l

Pressure & temperature
Working pressure 2,1 Bar
Max. pressure 2,3 Bar
Max. process temperature 137°C


Dimensions
Width 25 cm
Height 20 cm
Depth 56 cm

Electrical
Power supply 230V/50Hz
Installed power 2250 W
Max. power consumption 15 A

Misc
Ingress protection IP20
Data archiving USB stick
Water conductivity* < 15 µS/cm

* - demineralized water only

Implantology



Enbio PRO accommodates all popular implant cassettes that fit in the 29×19×8 space.

Enbio user manual.



1. Plug in
2. Choose program
3. Start working


Installation and operation of Enbio autoclaves does not require any special training.

Over 20 000 autoclaves sold in 5 years.

In just 5 years, Enbio's worldwide community has grown to over 20,000 users, who sterilize instruments in our autoclaves, for the complete safety of their customers and patients.



Designed
in Switzerland



Designed
in Switzerland

Worldwide presence.

Enbio autoclaves are manufactured in the EU and distributed globally through logistics centers covering Europe, North America and the Middle East.



Distributed by:

ICONA

DESIGNED WITH YOU IN MIND

Trade Central Business Park
Unit 12/37 Kallor Park Drive
Kallor Park Vio 3042

Ph: 1300 442 662
sales@icona.net.au
www.icona.net.au



Enbio Group AG
Eichengasse 3, 4702 Oensingen
Switzerland

enbio.com