



We believe that simplicity is elegant, knowledge is imperative, and deep understanding is the foundation of all we do. We believe in innovation. Work-life comfort. And the right to excess energy at the end of the day. At A-dec, we believe in empowering dentists to focus on what truly matters most: your patients.



WE BELIEVE.

INTRO A-dec 500 system

### **EXPERIENCE THE NEW A-DEC 500.**

#### A legend, redefined.

In a world of complex technology and noise, we bring you intelligent simplicity and infallible peace of mind. Designed to function holistically and intuitively, the new A-dec 500 quietly slips into the background, reacting to your every move, without pause. Experience the next level A-dec 500.

OPTIMAL ACCESS Get in close and position everything you need within reach. FLEXIBLE INTEGRATION What you need today, with a flexible design that lets you configure the clinical instruments you choose. INTELLIGENT CONTROL Customizable and easy to navigate. Add additional instruments now or later. You're in control. SUPERIOR CARE Comfort and stability add up to a superior patient experience.


aidec

INTRO A-dec 500 system



# **OPTIMAL ACCESS**.

### **EFFORTLESS ADJUSTMENTS**.



#### The freedom to focus.

It's true. You can activate, deactivate, position and place your instruments without looking away from your procedure, and without a conscious thought. We've worked hard to keep the equipment and technology simple to maintain your confidence in front of patients.

**POSITIVE POSITIONING** Smoothly and precisely situate the delivery where you want it, and count on it to stay.

ONE-HANDED ADJUSTMENTS Effortlessly position the delivery system with one hand—or finger if you'd like.

AMBIDEXTROUS DELIVERY Go from left- to right-handed delivery in seconds. The centrally located handle and screen are reachable and visible from either side.

DELUXE PLUS TOUCHPAD Dynamically displays only the function you are in, for uncomplicated ease of use. AUTOMATIC BRAKING Grasp the handle and the flexarm brake automatically releases. We call it capacative activation, but you'll just call it effortless.



OPTIMAL ACCESS A-dec 500 system





### [02] EXPERIENCE FLEXIBLE INTEGRATION.

#### Forward-thinking design.

A-dec products are engineered to last, but technology is ever-changing. With a flexible, forward-thinking design, the A-dec 500 perfects your practice today—and grows with it tomorrow.

### SKILLFULL MOVEMENTS.

#### 44

I love this delivery system! It moves effortlessly, feels weightless in my hand, and the integrated technology makes it efficient and easy to use.

MEGAN NEVILLS, DMD ALOHA, OR



We worked diligently to ensure that the new A-dec 500 delivery system integrates with most clinical devices, so you can work with the instruments you choose. Even if your future practice goals evolve, you have the option to reconfigure your delivery and embrace new capabilities.

CUSTOMIZABLE PLACEMENT With six positions on the control head, you can integrate practically any combination you dream up: from cameras and scalers to curing lights and electric motors. ADJUSTABLE HANDPIECE HOLDERS Each position is movable, so you can tilt the handpieces downward to easily grip when in use, and return upright for safety when they're not.



FLEXIBLE INTEGRATION A-dec 500 system

### **PRACTICE PERFECT.**

#### 4

Combines the cutting efficiency and control of electric with the tactile feedback of air.


MICHAEL VAN GORDON, DMD PC

#### *Powerful as electric. Light as air.*

ONE HANDPIECE, MULTIPLE APPLICATIONS Primea<sup>TM</sup> Advanced Air<sup>®</sup> from W&H<sup>®</sup> is the world's first air-driven, high-speed handpiece with an adjustable bur speed and constant removal rate—even with increasing pressure. Integrated with the A-dec 500', this award-winning new technology is compact and lightweight, yet powerful and precise. A sensor in the handpiece head constantly measures the rotation speed of the bur on the tooth, immediately adjusting the air supply to maintain maximum treatment efficacy at all times. With one handpiece, you can efficiently achieve a complete highspeed range of procedures, opening new possibilities for your practice. Who says perfection isn't achievable?



FLEXIBLE INTEGRATION A-dec 500 system



### [03] EXPERIENCE INTELLIGENT CONTROL.

### *Predictable and intuitive.*

It's unspoken, but you feel it. That "at ease" reassurance of knowing that your equipment is predictable, responsive and intuitive, complementing your every skillful movement. So, you can focus on what matters most: your patient.

### **INSPIRED CONFIDENCE.**

#### Unassumingly responsive.

Built in details and holistic control let you seamlessly access, activate and deactivate your clinical instruments and devices without giving it a conscious thought. The equipment disappears, in essence, allowing you to focus on dentistry.

INTELLIGENT SCREEN Visual, iconic controls display only the settings you need. AUTOMATED ACTIVATION Screen readout activates when you pick up your instrument.

LED COOLANT INDICATOR Lights up when a handpiece is lifted out of the holder, so you can make adjustments without second guessing. DUAL OPERATOR SETTINGS Access your personalized settings on shared equipment with a single touch.



### **MODERN SIMPLICITY.**

### Uncluttered and uncomplicated.

New Deluxe Plus touchpad minimizes the extraneous and dynamically displays only what you need, when you need it, based on the procedure or task at hand. The familiar soft touch activating glass touchpad is easy to sanitize, too. Clean and simple.





## EXPERIENCE SUPERIOR CARE.

#### Sleek, yet supportive.

Gentle, supportive comfort puts your patients at ease for a positive experience that sets you apart.

### **CONSISTENT COMFORT.**



#### Whole body support.

Is comfort a feeling or a science? It's both. By reducing pressure points and streamlining support through scientific pressure mapping, the A-dec 500 ensures patient comfort during procedures. And when your patient is relaxed, so are you.

**DOUBLE-ARTICULATING GLIDING HEADREST** Adjust to your patient for consistent support.

**SLEEK BACKREST** There is a purpose behind the flexible thin back. The stingray shape reflects the anatomy of the patient's body, offering full support while leaving you space to move in close. SECURE ARMRESTS Support patient weight when they need it, and move out of the way when they don't.

**TOEBOARD TILT** When the chair reclines, the toeboard imperceptibly raises a full 9" for a gentle cradling effect. All your patient feels is relaxed.




SUPERIOR CARE A-dec 500 system

### **ATTENTIVE DESIGN.**

#### INSTANT COMFORT

Getting comfortable in the chair isn't the patient's responsibility. It's ours. So we designed it to support your patient's entire body from the moment they sit down.



SUPERIOR CARE A-dec 500 system



#### Tailored individuality.

Color and style, delivery options, foot controls and instruments. You deserve to work your way, right down to the last stitch. At A-dec, we believe in choice.





ALL-AROUND ERGONOMIC COMFORT. 533 Continental delivery, lever foot control. OUT OF SIGHT, OUT OF MIND. 541 12 o'clock delivery, lever foot control, A-dec Inspire<sup>®</sup> 591 treatment console.

MAKE IT YOURS A-dec 500 system INTEGRATED AND STREAMLINED. 532 Traditional delivery, lever foot control, 572L LED light.





MAKE IT YOURS A-dec 500 system

### FLEXIBLE OPTIONS.



#### We believe in choice.

Since no two doctors are exactly the same, our equipment options let you customize the most efficient setup for you and your team.



MAKE IT YOURS A-dec 500 system

#### SPECIFICATIONS AND DETAILS.

5,000K

77 22-watt

>40,000 hours

A-dec 500 LED Dental Light

Light intensity (mode selection)

Color temperature

Light pattern

BTUs per hour

Power consumption

Light source life expectancy

A-dec 511 Dental Chair	A-dec 461 Support Center		
Base height range	Low point: 13.5" (343 mm), 14.5" (368 mm) with A-dec 300 dual mount. High point: 31.5" (800 mm)		Sta
Backrest	Ultra-thin 1" (25 mm) flexible backrest* (*Based on formed upholstery)	Cuspidor (with programmable cup fill and bowl rinse timer)	Vit
Headrest	Dual-articulating gliding headrest, lever release	Cuspidor rotation	±4
Armrests	2-position armrests	Water system	No
Chair swivel	60° (30° each side of center)	Accommodates amalgam separator	
Power supply	300-watt	Mount style	Re
Chair control	Touchpad on delivery system or foot switch	Light/monitor mount	No
Lift system	Soft start/stop hydraulic drive		
Mount style	Radius left/right Dedicated left or right post mount	-	
Upholstery options	Sewn or formed		
UL load rating	UL rated to 500 lb (227 kg) maximum patient load (load rating is based on UL requirement of 4X (2000 lb/907 kg) overload static testing)	_	

3.8" x 5.7" at 27.6" focal distance (95 mm x 145 mm at 700 mm)

Touchpad, local control, or automatic on/off via chair presets

Low: 15,000 lux (1394 fc) Medium: 25,000 lux (2323 fc) High: 30,000 lux (2787 fc) Cure-safe: 23,000 lux (2137 fc) yellow light

Standard	Optional
Vitreous china	
± 45°	
None	2-liter bottle
	Yes (amalgam separator or water bottle)
Rear left/right hub mount	
	± 45° None

Floating

±45°

Light post

20 lbs (9 kg)

A-dec 482 Monitor Mounts

Maximum flat-panel monitor weight

Tilt style

Monitor mount tilt

Mount location

Models	A-dec 532 Traditional   A-dec 533 Continental		A-dec 541 12 o'clock duo		
	Standard	Option	Standard	Option	
Touchpad	Deluxe Plus	N/A	Deluxe	Standard, none	
Foot control	Accessory button	Lever Style	Wet/dry disc with chip blower	Lever	
Left/right conversion	Yes	N/A	Yes		
Handpiece holder positions	Traditional - 5 + syringe Continental - 5 + syringe	Warm water syringe Continental - 5 + syringe	Traditional - 4 + syringe	Warm water syringe	
Handpiece tubing	Silicone		Silicone		
Intraoral light source	Quad-volt		Quad-volt		
Arm system	Positive positioning, balanced flexarm with air brake		Manual height adjustment		
Mount options	A-dec 511		Preference Collection A-dec Inspire, stand-alone		
Brake handles	N/A		None		
Water system	2-liter bottle		2-liter bottle		
Integration	15' USB 2.0 cable / up to 6 control modules	Powered USB hub	15' USB 2.0 cable / up to 5 control modules	Powered USB hub	

500 12 O'Clock

#### Assistant's Instruments

Delivery Systems

500 Radius

Standard         Option         Standard         Option         Standard           Air/water syringe         Quick-disconnect (QD) syringe         Warm water QD syringe         QD syringe         Warm water QD syringe         None         Standard touchpad         None         Standard touchpad <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>							
Air/water syringe     Quick-disconnect (QD) syringe     Warm water QD syringe     QD syringe     Warm water QD syringe     QD syringe       Touchpad     Standard touchpad     None     Standard touchpad     None       Yacuum instruments     EasyFlex tubing 1 x saliva ejector (SE) 1 x high volume evacuation (HVE)     NVE, dual turret 1 x saliva ejector (SE) 1 x high volume evacuation (HVE)     NVE, dual turret 1 x saliva ejector (SE) 1 x high volume evacuation (HVE)     Standard touchpad     None       Vacuum tubing     EasyFlex     EasyFlex     EasyFlex     EasyFlex     EasyFlex		551 Assistant's Instrumentation		541 12 O'Clock Duo System		545 12 O'Clock Assistant's Instrumentation	
Touchpad         Standard touchpad         None         Standard touchpad         None           Vacuum instruments         EasyFlex tubing 1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         HVE, dual turret         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         HVE, dual turret         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume evacuation (HVE)         1 x saliva ejector (SE) 1 x high volume ev			Standard	Standard	Option	Standard	Option
Vacuum instruments     EasyFlex tubing 1 x saliva ejector (SE) 1 x high volume evacuation (HVE)     HVE, dual turret     1 x saliva ejector (SE) 1 x high volume evacuation (HVE)     HVE, dual turret     1 x saliva ejector (SE) 1 x high volume evacuation (HVE)       Vacuum tubing     EasyFlex     EasyFlex     EasyFlex     EasyFlex	ter syringe	QD syringe	Quick-disconnect (QD) syringe	QD syringe	Warm water QD syringe	QD syringe	Warm water QD syringe
1 x saliva ejector (SF) 1 x high volume evacuation (HVE)         1 x high volume evacuation (HVE)         1 x high volume evacuation (HVE)           Vacuum tubing         EasyFlex         EasyFlex         EasyFlex	iad		Standard touchpad	None	Standard touchpad	None	Standard touchpad
and the second sec		rret	1 x saliva ejector (SE)		HVE, dual turret	1 x saliva ejector (SE) 1 x high volume evacuation (HVE)	HVE, dual turret
	n tubing		EasyFlex	EasyFlex		EasyFlex	
Positioning Horizontal adjustment Horizontal adjustment Manual vertical adjustment Manual vertical adjustment	ning	nd vertical adjustments	Horizontal adjustment	Manual vertical adjustment		Manual vertical adjustment	
Mount location Chair back mount Cabinet or floor mount Cabinet or floor mount	location		Chair back mount	Cabinet or floor mount		Cabinet or floor mount	

SPECIFICATIONS A-dec 500 system

# A legend, redefined

### A-dec Headquarters 2601 Crestview Drive

Newberg, Oregon 97132 USA T: 1.800.547.1883 within USA/CAN T: +1.503.538.7478 outside USA/CAN F: +1.503.538.0276 a-dec.com

#### A-dec Australia

T: 1.800.225.010 within AUS T: +61.(0)2.8332.4000 outside AUS australia.a-dec.com

#### A-dec China

T: 400.600.5434 within CN T: +86.571.89026088 outside CN china.a-dec.com

A-dec United Kingdom T: 0800.233285 within UK T: +44.(0).24.7635.0901 outside UK uk.a-dec.com





A-dec, the A-dec logo, A-dec Inspire, Cascade, Century Plus, Continental, Decade, ICX, ICV, Performer, Preference, Preference Collection, Preference ICC, Radius, and reliablecreativesolutions are trademarks of A-dec Inc. and are registered in the United States and other countries. A-dec 500, A-dec 400, A-dec 300, A-dec 200, and EasyFlex are also trademarks of A-dec Inc. None of the trademarks or trade names in this document may be reproduced, copied, or manipulated in any manner without the express, written approval of the trademark owner.

Certain touchpad symbols and icons are proprietary to A-dec Inc. Any use of these symbols or icons, in whole or in part, without the express written consent of A-dec Inc., is strictly prohibited.

Advanced Air®, Alegra®, Endea®, Proxeo®, Synea®, and W&H® are registered trademarks of W&H Dentalwerk Bürmoos GmbH (Austria). Primea™ is also a trademark of W&H Dentalwerk Bürmoos GmbH (Austria)

©2019 A-dec Inc. All rights reserved. 85.0850.00/PP/17M/04-19/Rev A.